

SLOLUKs

Reliable, no-contact,
ultrafast disinfection
without chemicals.


Easy to use.





PRODUCT NAME	NUVTON® XT 300	NUVTON® XT 600	NUVTON® XT 900
Input voltage	220 V~240 V, 50/60 Hz	220 V~240 V, 50/60 Hz	220 V~240 V, 50/60 Hz
Input current	0.13 A	0.26 A	0.39 A
Power consumption	24 W	37 W	56 W
UV-C lamp wattage	18 W	36 W	55 W
UV-C output (253.7nm)	5.5 W	12 W	17 W

UVGI SensotroniQ™



Intelligent photoconductive UV-C sensor for the monitoring of effective DEEP UV / UVGI germicidal radiation.



Move NUVTON® XT device with **left/right movement**– the »**scanning movement**« at speed 15cm per second at 10cm distance from the surface or object.



SMART HANDLE



Ergonomic, robust smart handle with inox button and integrated red-green light for power, start up, UV-C ramping up and indication of UV-C output.

REAL UV-C™



NUVTON® XT 300 SET



NUVTON® XT 600 SET



NUVTON® XT 900 SET



STERILIZER SETS



Legend:

- | | |
|-----------------------|-------------------------------|
| 1. NUVTON® sterilizer | 6. NUVTON® cloth |
| 2. NUVTON® pad | 7. NUVTON® gloves |
| 3. NUVTON® pad guard | 8. NUVTON® instruction manual |
| 4. NUVTON® cable | 9. NUVTON® disinfection chart |
| 5. NUVTON® visor | 10. NUVTON® case |

Orders / Information

SLOLUKS d.o.o.
Miklavška cesta 75
2311 HOČE
SLOVENIA

info@sloluks.si

T1: +386 2 629 67 40

T2: +386 2 629 67 41

T3: +386 2 629 67 42